



2802 WHITE HORSE ROAD
GREENVILLE, SOUTH CAROLINA 29611
(864) 295-0295

PROJECT INSUL. PANEL TO FOOTING W/SLAB BARS &
SAND-CEMENT GROUT X 1'-0" EA. CONN.

JOB NO.

-

DATE

01/04/05

DWN. BY

STAFF

DATE

02/17/06

CHK. BY


HAG

SHEET

D0151

PANEL WILL REQUIRE BRACING
BEFORE BACKFILLING BY GC

#13M BARS AT 4'-0" O.C.
W/ 3'-0" PROJ. (AT
LOCATIONS WHERE DISTANCE
FROM FIN. FLR. TO TOP OF
FOOTING IS GREATER THAN
2'-0") NO INSUL. AT BARS




EP500
Δ 4" X 4" X 3/8" X 0'-4"
W/ 7/8" Ø HOLE

T/FOOTING
RE: WALL ELEV.

3/4" Ø X 0'-5 1/2"
"RED HEAD" TRU-BOLT
(WS 3454)
W/ 3 1/4" MIN. EMBEDMENT

CAST-IN-PLACE
FOOTING
BY OTHERS



P362
R 1/4" X 6" X 0'-6"
W/ (4) 3/8" Ø X 4 1/8" HCA
W/ #10M HAIRPIN (MK1009)
NO INSUL. AT CONN.
1" SAND CEMENT
GROUT FOR 1'-0" AT
EA. CONN.

SOLID AREA VARIES

EP519 3" x 3" x 1 3/16"
MEADOW-BURKE "WAFFLE"
STYLE PLASTIC SHIM PACK
6'-0" O.C. MAX. - (2) PER
PANEL MINIMUM

151
E00

MPC_8 1/2" x 11" Detail